

# GT L.S.D. & Mechanical LSD Application Chart One year guarantee (only in JAPAN)

Vehicle	Model	Application	GT L.S.D.		Mechanical LSD		Code	Price with tax	Price	Installation kit	Diff type (axle)	Final ratio	Part information
			2-WAY Part no.	1.5-WAY Part no.	2-WAY Part no.	1.5-WAY Part no.							
March	K10	MA10S	—	—	—	38420-RS251	—	Discontinued	Discontinued	No	RS5F41A	4.05	Can also be installed on 4-speed
	EK10	MA09ERT	—	—	—	38420-RS250	—	Discontinued	Discontinued	No	RS5F31V	4.353	
	HK11	CG13DE viscous-M/T, until Nov. '99	—	—	—	38420-RS250	—	Discontinued	Discontinued	No	RS5F31V	4.056	
	K11	CG10DE until May '97	—	—	—	38420-RS251	—	Discontinued	Discontinued	No	RS5F41A	3.590 4.050	Not available for models from May '97
	K12	CR12DE M/T	—	—	—	38420-RSK25-A	A	152,250	145,000	Yes	RS5F91R	4.066	Front use*3
Sunny Truck	B121	A12	—	—	38420-RS110	—	—	Discontinued	Discontinued	No	H165B (high tooth model)	4.111	M10 ring gear bolts
	B122	A12 until May '86*2	—	—	38420-RS110	—	—	Discontinued	Discontinued	No	H165B (high tooth model)	4.111	
Presea	R10	SR18Di M/T Non-viscous	—	—	—	38420-RS360	—	Discontinued	Discontinued	No	RS5F32A	4.058	
	R11	SR18DE M/T Non-viscous	—	—	—	38420-RS360	—	Discontinued	Discontinued	No	RS5F32A	3.888 4.176	
Avenir Avenir Salut	W10	SR18Di SR18DE SR20DE 2WD M/T Non-viscous	—	—	—	38420-RS360	—	Discontinued	Discontinued	No	RS5F32A	4.058 4.176	Not for use with 4WD
Primera	P10	SR18Di SR18DE SR20DE 2WD M/T Non-viscous	—	—	—	38420-RS360	—	Discontinued	Discontinued	No	RS5F32A	3.888 4.176	Not for use with 4WD
	P11	SR18DE SR20DE 2WD M/T Non-viscous until Sept. '98	—	—	—								
Primera Wagon	WP11	SR18DE SR20DE 2WD M/T Non-viscous until Sept. '98	—	—	—	38420-RS360	—	Discontinued	Discontinued	No	RS5F32A	3.888 4.176	Not for use with 4WD
Violet	RA11 from July, '79	Z16, Z18	—	—	38420-RS110	—	—	Discontinued	Discontinued	No	H165B (high tooth model)	3.700 3.889	
Bluebird	(P)J910	Z16, Z18	—	—	38420-RS110	—	—	Discontinued	Discontinued	No	H165B (high tooth model)	3.889 4.111	
	YJ910	Z20	—	—		—	—					Discontinued	Discontinued
	U12 FF	SR18Di M/T, Non-viscous	—	—	—	38420-RS360	—	Discontinued	Discontinued	No	RS5F32A	3.8	Not for use with 4WD
	U14	SR18DE SR20DE 2WD M/T Non-viscous until Sept. '98	—	—	—	38420-RS360	—	Discontinued	Discontinued	No	RS5F32A	3.822 3.888 4.176	Not for use with 4WD
180SX	RS13 RPS13	All CA18DET SR20DET A/T	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.363 3.916	
		SR20DE from Aug. '96	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	4.083	
		SR20DET M/T to Sept. '95 (5-hole type)	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200V	4.083	
		SR20DET M/T from Sept. '95 (6-hole type)	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.083	
Silvia Gazelle	(P)S110	Z18 Z20 from Jul. '79	—	—	38420-RS110	—	—	Discontinued	Discontinued	No	H165B (high tooth model)	3.700 3.889	
	JS12	CA18S CA18E until Feb '86	—	—		—							
		CA18S M/T from Feb '86	—	—		—							

\*2 Because of the change of the ring gear bolt from May, '86 (M10 to M11), change of the ring gear (hypoid gear) is required.

\*3 When exchanging, the use of a concentric slave cylinder (CSC) is required. Please purchase separately.

• Please read Notes on installing NISMO LSD.

# GT L.S.D. & Mechanical LSD Application Chart One year guarantee (only in JAPAN)

Vehicle	Model	Application	GT L.S.D.		Mechanical LSD		Code	Price with tax	Price	Installation kit	Diff type (axle)	Final ratio	Part information	
			2-WAY Part no.	1.5-WAY Part no.	2-WAY Part no.	1.5-WAY Part no.								
Silvia Gazelle	US12	FJ20E FJ20ET until Feb. '86	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	4.111	M10 ring gear bolts	
		FJ20E J20ET from Feb. '86	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.9	M12 ring gear bolts	
	BS12	CA18DET	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	4.375		
	S13 PS13	CA18DE SR20DE Non ABS Non-viscous	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	4.375 4.111		
		CA18DE SR20DE ABS equipped Non-viscous	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200	4.373 4.083		
		CA18DE SR20DE viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.373 4.083		
		All CA18DET SR20DET A/T	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.363 3.916		
	SR20DET M/T until Oct. '93	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200V	4.083			
Silvia	S14	SR20DE Non-HICAS Non-viscous	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	4.083		
		SR20DE HICAS equipped Non-viscous until Dec. '96	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200	4.083		
		SR20DE Non-HICAS Viscous-equipped until Dec. '96									R200V	4.083		
			SR20DE HICAS or viscous-equipped from Dec. '96	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	4.083	
			SR20DET A/T	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	3.916	
			SR20DET M/T	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.083	
	S15	SR20DE helical-equipped or non-LSD (including Autech version)	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200 R200H	4.083		
		SR20DE viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.083		
		SR20DET M/T helical-equipped	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200H	3.692		
		SR20DET A/T viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	3.916		
Skyline	GC211	L20ET	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	4.111		
	HR30	L20ET	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	3.9		
	DR30	FJ20E from Oct. '82	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	3.9		
		FJ20ET until Aug. '84	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	4.111		
		FJ20ET from Aug. '84	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.9		
	HR31	RB20E until Apr. '86	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	3.9		
		RB20E from Apr. '86	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	4.111		
HR31 WHR31	RB20ET RB20DE RB20DET	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200 C200A	4.111 4.375			

• Please read Notes on installing NISMO L.S.D..

# GT L.S.D. & Mechanical LSD Application Chart One year guarantee (only in JAPAN)

Vehicle	Model	Application	GT L.S.D.		Mechanical LSD		Code	Price with tax	Price	Installation kit	Diff type (axle)	Final ratio	Part information
			2-WAY Part no.	1.5-WAY Part no.	2-WAY Part no.	1.5-WAY Part no.							
Skyline	SR31	RD28	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.7	
	FR32	CA18i	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	3.900 4.111	
	HR32	RB20E Non-ABS Non-viscous	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	4.111	
		RB20E ABS Non-viscous	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200	4.083	
		RB20E viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.083	
	H(C)R32	RB20DE	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	4.363	
	E(C)R32	RB25DE A/T	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200 R200V	4.363	
		RB25DE M/T	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	4.363	
	HCR32	RB20DET 2WD	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200V	4.363	
	HNR32	RB20DET 4WD	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200V	4.375	Rear differential use *4
	HR33	RB20E non-ABS Non-viscous	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	4.083	
		RB20E ABS Non-viscous	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200	4.083	
		RB20E viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.083	
	E(C)R33	RB25DE 2WD Non-viscous M/T until Apr. '94	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200	3.538 4.363	
		RB25DE 2WD Non-viscous M/T, A/T from Apr. '94	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200	3.538 4.363	
		RB25DE 2WD viscous-equipped 2-door, M/T until Apr. '94	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200V	4.363	
		RB25DE 2WD viscous-equipped 2-door, M/T from Apr. '94 to Jan. '96	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.363	
		RB25DE 2WD viscous-equipped from Jan. '96	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.363	
	ENR33	RB25DE 4WD from Nov. '93 to Nov. '94	38420-RS020-BA	38420-RS015-BA	—	—	A	105,000	100,000	Yes	R200V	4.363	Rear differential use
		RB25DE 4WD from Nov. '94	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200V	4.363	Rear differential use
	ECR33	RB25DET except Active LSD spec	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200V	4.111 4.363	
	R34	RB20DE Non-viscous	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200	4.363	
		RB20DE viscous-equipped	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200V	4.363	
	ER34	RB25DE Non-viscous	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200	4.083 4.363	
		RB25DE 2WD viscous-equipped M-A/T	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200V	4.083	
		RB25DE 2WD viscous-equipped M/T	38420-RS020-BA	38420-RS015-BA	—	—	A	105,000	100,000	Yes	R200V	4.363	
		RB25DE 2WD helical-equipped from Aug. '99	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200H	4.083 4.363	
		RB25DET until Aug. '00	38420-RS020-BA	38420-RS015-BA	—	—	A	105,000	100,000	Yes	R200V R200H	4.083 4.111	
		RB25DET from Aug. '00 M/T	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200H	4.111	

\*4 For installation, the right-side flange 38220-05U10 and left-side flange 38220-05U11 (both Genuine Nissan parts for R32GT-RM/C front) must be exchanged. Please purchase separately.

• Please read Notes on installing NISMO L.S.D.

# GT L.S.D. & Mechanical LSD Application Chart One year guarantee (only in JAPAN)

Vehicle	Model	Application	GT L.S.D.		Mechanical LSD		Code	Price with tax	Price	Installation kit	Diff type (axle)	Final ratio	Part information
			2-WAY Part no.	1.5-WAY Part no.	2-WAY Part no.	1.5-WAY Part no.							
Skyline	ER34	RB25DET from Aug. '00 M-A/T	38420-RS020-BA	38420-RS015-BA	—	—	A	105,000	100,000	Yes	R200V	4.083	
	ENR34	RB25DE 4WD	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200V	4.363	Rear differential use
Skyline GT-R	BNR32	RB26DETT until Feb. '93	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200	4.111	Rear differential use
		RB26DETT from Feb. '93	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200	4.111	Rear differential use *4
	BCNR33	RB26DETT except Active LSD spec	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200	4.111	Rear differential use *4
	BNR34	RB26DETT except Active LSD spec	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200H	3.545	Rear differential use *5
	BNR32 BCNR33 BNR34	All models	—	—	—	38420-RSF16-A	A	123,900	118,000	Yes	F160	—	Front use
Fairlady Z	HS130	L28 M/T	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	3.7	
	GS130	L20ET	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	3.9	
	Z31	VG20ET until Oct. '85	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	4.111	M10 ring gear bolts
		VG20ET from Oct. '85 Non-viscous	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	4.111	M12 ring gear bolts
	HZ31	VG30ET Non-viscous	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.545	Cannot be installed on viscous-equipped vehicles
	PZ31	RB20DET from Oct. '85, Non-viscous	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	4.375 4.625	
	Z32	VG30DE Non-ABS until Oct. '98	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200V	4.083	
VG30DE ABS-equipped until Oct. '98		38420-RS020-BA	38420-RS015-BA	—	—	A	105,000	100,000	Yes	R200V	4.083		
Cefiro	(C) A31	RB20E Non-ABS Non-HICAS Non-viscous	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	3.900 3.916	
		RB20E ABS- or HICAS-equipped Non-viscous	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200	3.916	
		RB20E viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	3.916	
		RB20DE	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	4.083 4.363	
		RB25DE	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200 R200V	3.538	
		RB20DET	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200 R200V	4.363	
	NA31	RB20DET 4WD	38420-RS020-BA	38420-RS015-BA	—	—	A	105,000	100,000	Yes	R200V	4.375	Rear differential use
Laurel	HC31	L20ET	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	3.9	
	NC31	L28E	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	3.7	
	HC32	RB20E	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.9	
	GC32	VG20ET	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	4.111	
	HC32	RB20DET	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.9	M12 ring gear bolts

\*4 For installation, the right-side flange 38220-05U10 and left-side flange 38220-05U11 (both Genuine Nissan parts for R32GT-R M/C front) must be exchanged. Please purchase separately.

\*5 For installation, the right-side flange 38220-05U11 and left-side flange 38220-05U10 (both Genuine Nissan parts for R32GT-R M/C front) must be exchanged. Please purchase separately.

• Please read Notes on installing NISMO L.S.D.

# GT L.S.D. & Mechanical LSD Application Chart One year guarantee (only in JAPAN)

Vehicle	Model	Application	GT L.S.D.		Mechanical LSD		Code	Price with tax	Price	Installation kit	Diff type (axle)	Final ratio	Part information
			2-WAY Part no.	1.5-WAY Part no.	2-WAY Part no.	1.5-WAY Part no.							
Laurel	FC33	CA18i Non-viscous	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	3.90 3.916 4.111	
		CA18i viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	3.916 4.083	
	HC33	RB20E until Jan. '91 A/T non-ABS Non-viscous	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	3.9	
		RB20E from Jan. '91 A/T non-ABS Non-viscous	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200	3.583	
		RB20E M/T non-ABS Non-viscous	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	3.90 3.916	
		RB20E ABS-equipped Non-viscous	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200	3.538 3.916	
		RB20E viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	3.538 3.916	
	H(C)C33	RB20DE	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	4.083 4.363	
		RB20DET	38420-RS020-B	38420-RS015-B	—	—	A	110,250	105,000	Yes	R200V	4.363	
	SC33	RD28	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	3.692 3.916	
	HC34	RB20E Non-viscous	—	—	38420-RS430-A	—	A	101,850	97,000	Yes	R180	3.916	
		RB20E viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	3.916	
		RB20DE	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	4.083	
	G(C)C34	RB25DE 2WD	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	3.538 4.363	
		RB25DET	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.083	
	SC34	RD28 Non-viscous	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.692 3.916	
		RD28 until Dec. '96 viscous-equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	3.692 3.916	Not available for models from Dec.'96
	GNC34	RB25DE 4WD	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200V	4.363	Rear differential use
	HC35 G(C) C35	RB20DE RB25DE RD28	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200V	3.692 4.083 4.363	
		RB25DET until Sep. '98	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200V	4.083	
RB25DET from Sep. '98		38420-RS020-BA	38420-RS015-BA	—	—	A	105,000	100,000	Yes	R200V	4.083		
Leopard	PF30	L20ET	—	—	38420-RS650-A	—	—	Discontinued	Discontinued	Yes	R200	3.9	
	NF30	VG30ET	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.9	M12 ring gear bolts
	F31	VG20E (T) VG30DE until Aug. '88	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.90 4.111 4.375	
		VG20E Non-viscous from Aug. '88	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	4.111	Cannot be installed on viscous-equipped models
Cedric Gloria	Y31	VG20 (D)ET VG30E (T) Non-viscous	—	—	38420-RS660-A	—	—	Discontinued	Discontinued	Yes	R200	3.700 4.083	M12 ring gear bolts Cannot be installed on viscous-equipped models

\* Please read Notes on installing NISMO L.S.D.

# GT L.S.D. & Mechanical LSD Application Chart

One year guarantee (only in JAPAN)

Vehicle	Model	Application	GT L.S.D.		Mechanical LSD		Code	Price with tax	Price	Installation kit	Diff type (axle)	Final ratio	Part information
			2-WAY Part no.	1.5-WAY Part no.	2-WAY Part no.	1.5-WAY Part no.							
Stagea	WHC34	RB20E 2WD until Aug. '98	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	4.083	
		RB20DE 2WD until Aug. '98	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200	4.083	
		RB20DE 2WD from Aug. '98 Non-viscous	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200	4.083	
		RB20DE 2WD from Aug. '98 viscous equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.083	
	WGC34	RB25DE 2WD until Aug. '98	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200 R200V	4.083	
		RB25DE 2WD from Aug. '98 Non-viscous	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200	4.083	
		RB25DE 2WD from Aug. '98 viscous equipped	38420-RS020-C	38420-RS015-C	—	—	A	105,000	100,000	Yes	R200V	4.083	
		RB25DET 2WD from Aug. '98 viscous equipped	38420-RS020-BA	38420-RS015-BA	—	—	A	105,000	100,000	Yes	R200V	4.083	
	WGNC34	RB25DE 4WD	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200 R200V	4.363	Rear differential use
		RB25DET 4WD until Aug. '98	38420-RS020-CA	38420-RS015-CA	—	—	A	105,000	100,000	Yes	R200 R200V	4.083	Rear differential use
		RB25DET 4WD from Aug. '98 M/T viscous equipped	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200V	4.111	Rear differential use *4
		RB25DET 4WD from Aug. '98 A/T Non-viscous	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200	4.083	
		RB25DET 4WD from Aug. '98 A/T viscous equipped	38420-RS020-BA	38420-RS015-BA	—	—	A	105,000	100,000	Yes	R200V	4.083	Rear differential use
		RB26DETT 4WD	38420-RS020-A	38420-RS015-A	—	—	A	101,850	97,000	Yes	R200	4.111	Rear differential use *4
			—	—	—	38420-RSF16-A	A	123,900	118,000	Yes	F160	—	Front use

\*4 For installation, the right-side flange 38220-05U10 and left-side flange 38220-05U11 (both Genuine Nissan parts for R32GT-R M/C front) must be exchanged. Please purchase separately.

• Please read Notes on installing NISMO L.S.D.